

## UnitedHealthcare Pharmacy Clinical Pharmacy Programs

Program Number	2025 P 2367-1	
Program	Prior Authorization/Medical Necessity	
Medications	Ebglyss <sup>™</sup> (lebrikizumab-lbkz)	
P&T Approval Date	3/2025	
Effective Date	5/1/2025	

# 1. Background:

Ebglyss (lebrikizumab-lbkz) is an interleukin-13 antagonist indicated for the treatment of adults and pediatric patients 12 years of age and older who weigh at least 40 kg with moderate to severe atopic dermatitis whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. Ebglyss can be used with or without topical corticosteroids.

## 2. Coverage Criteria<sup>a</sup>:

## A. Atopic Dermatitis

## 1. Initial Authorization

- a. Ebglyss will be approved based on all of the following criteria:
  - (1) Diagnosis of moderate to severe chronic atopic dermatitis

#### -AND-

- (2) History of failure, contraindication, or intolerance to <u>two</u> of the following therapeutic classes of topical therapies (document drug, date of trial, and/ or contraindication to medication)^:
  - (a) Medium, high, or very-high potency topical corticosteroid [e.g., Elocon (mometasone furoate), Synalar (fluocinolone acetonide), Lidex (fluocinonide)]
  - (b) Topical calcineurin inhibitor [e.g., Elidel (pimecrolimus), Protopic (tacrolimus)]\*
  - (c) Eucrisa (crisaborole)\*

### -AND-

- (3) Patient is **not** receiving Ebglyss in combination with **either** of the following:
  - (a) Biologic immunomodulator [e.g., Adbry (tralokinumab-ldrm), Dupixent (dupilumab)]
  - (b) Janus kinase inhibitor [e.g., Cibinqo (abrocitinib), Opzelura (topical ruxolitinib), Rinvoq (upadacitinib), Xeljanz/XR (tofacitinib)]

### -AND-



- (4) Prescribed by **one** of the following:
  - (a) Dermatologist
  - (b) Allergist
  - (c) Immunologist

#### Authorization will be issued for 12 months.

### 2. Reauthorization

- a. **Ebglyss** will be approved based on <u>all</u> of the following criteria:
  - (1) Documentation of positive clinical response to Ebglyss therapy

### -AND-

- (2) Patient is **not** receiving Ebglyss in combination with **either** of the following:
  - (a) Biologic immunomodulator [e.g., Adbry (tralokinumab-ldrm), Dupixent (dupilumab)]
  - (b) Janus kinase inhibitor [e.g., Cibinqo (abrocitinib), Opzelura (topical ruxolitinib), Rinvoq (upadacitinib), Xeljanz/XR (tofacitinib)]

#### -AND-

- (3) Prescribed by **one** of the following:
  - (a) Dermatologist
  - (b) Allergist
  - (c) Immunologist

## Authorization will be issued for 12 months.

- <sup>a</sup> State mandates may apply. Any federal regulatory requirements and the member specific benefit plan coverage may also impact coverage criteria. Other policies and utilization management programs may apply.
- ^Tried/failed alternative(s) are supported by FDA labeling.
- \* Elidel, Protopic/tacrolimus ointment, and Eucrisa require prior authorization.



Table 1: Relative potencies of topical corticosteroids

Class	Drug	Dosage Form	Strength (%)
	Augmented betamethasone	Ointment, gel	0.05
Warry biala	dipropionate		
Very high	Clobetasol propionate	Cream, foam, ointment	0.05
potency	Diflorasone diacetate	Ointment	0.05
	Halobetasol propionate	Cream, ointment	0.05
	Amcinonide	Cream, lotion, ointment	0.1
	Augmented betamethasone	Cream, lotion	0.05
	dipropionate		
	Betamethasone dipropionate	Cream, foam, ointment, solution	0.05
•	Desoximetasone	Cream, ointment	0.25
High Potency	Desoximetasone	Gel	0.05
	Diflorasone diacetate	Cream	0.05
	Fluocinonide	Cream, gel, ointment, solution	0.05
	Halcinonide	Cream, ointment	0.1
	Mometasone furoate	Ointment	0.1
	Triamcinolone acetonide	Cream, ointment	0.5
	Betamethasone valerate	Cream, foam, lotion, ointment	0.1
	Clocortolone pivalate	Cream	0.1
	Desoximetasone	Cream	0.05
Medium	Fluocinolone acetonide	Cream, ointment	0.025
	Flurandrenolide	Cream, ointment, lotion	0.05
potency	Fluticasone propionate	Cream	0.05
	Fluticasone propionate	Ointment	0.005
	Mometasone furoate	Cream, lotion	0.1
	Triamcinolone acetonide	Cream, ointment, lotion	0.1
Lower- medium potency	Hydrocortisone butyrate	Cream, ointment, solution	0.1
	Hydrocortisone probutate	Cream	0.1
	Hydrocortisone valerate	Cream, ointment	0.2
	Prednicarbate	Cream	0.1
Low potency	Alclometasone dipropionate	Cream, ointment	0.05
	Desonide	Cream, gel, foam, ointment	0.05
	Fluocinolone acetonide	Cream, solution	0.01
Lowest	Dexamethasone	Cream	0.1
	Hydrocortisone	Cream, lotion, ointment, solution	0.25, 0.5, 1
	Hydrocortisone acetate	Cream, ointment	0.5-1



Table 2: Low, medium and high daily doses of inhaled corticosteroids

Adults and adolescents (12 years of age and older)					
Drug	ug Daily dose (mcg)				
	Low	Medium	High		
Beclometasone dipropionate (CFC)	200-500	>500-1000	>1000		
Beclometasone dipropionate (HFA)	100-200	>200-400	>400		
Budesonide DPI	200-400	>400-800	>800		
Ciclesonide (HFA)	80-160	>160-320	>320		
Fluticasone furoate (DPI)	100	n.a	200		
Fluticasone propionate (DPI)	100-250	>250-500	>500		
Fluticasone propionate (HFA)	100-250	>250-500	>500		
Mometasone furoate	110-220	>220-440	>440		
Triamcinolone acetonide	400-1000	>1000-2000	>2000		

## 3. Additional Clinical Programs:

- Notwithstanding Coverage Criteria, UnitedHealthcare may approve initial and re-authorization based solely on previous claim/medication history, diagnosis codes (ICD-10) and/or claim logic. Use of automated approval and re-approval processes varies by program and/or therapeutic class
- Supply limitations may be in place

#### 4. References:

- 1. Ebglyss [package insert]. Indianapolis, IN: Eli Lilly and Company; September 2024.
- 2. Eichenfield LF, Tom WL, Chamlin SL et al. Guidelines of care for the management of atopic dermatitis: section 1. Diagnosis and assessment of atopic dermatitis. J Am Acad Dermatol. 2014; 70(1):338-51.
- 3. Eichenfield LF, Tom WL, Berger TG, et al. Guidelines of care for the management of atopic dermatitis: section 2. Management and treatment of atopic dermatitis with topical therapies. J Am Acad Dermatol. 2014; 71(1):116-32.
- 4. Sidbury R, Davis DM, Cohen DE, et al. Guidelines of care for the management of atopic dermatitis: Section 3. Management and treatment with phototherapy and systemic agents. J Am Acad Dermatol. 2014 Aug;71(2):327-49.

Program Prior Authorization/Medical Necessity - Ebglyss (lebrikizumab-lbkz)				
Change Control				
3/2025	New program.			