2024 Indiana Commercial Plans Prior Authorization Statistics



Most frequently submitted CPT codes; records maintenance per Indiana IC 27-1-48-8.

- (a) Not later than February 1 of each calendar year, a health plan must post on the health plan's website:
- (1) the thirty (30) most frequently submitted CPT codes that were submitted by participating providers for prior authorization during the previous calendar year; and
- (2) the percentage of the thirty (30) most frequently submitted CPT codes that were approved in the previous calendar year, disaggregated by CPT code.

| No. Top 30 Procedure Codes Approval Rate 1 95810 61.3% 2 97799 100.0% 3 95811 61.3% 4 81479 88.7% 5 98943 100.0% 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 25 62321 94. | 7 - 65 6 | | |
|---|----------|-------------------------------|---------------|
| 2 97799 100.0% 3 95811 61.3% 4 81479 88.7% 5 98943 100.0% 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 29 49650 1 | No. | Top 30 Procedure Codes | Approval Rate |
| 3 95811 61.3% 4 81479 88.7% 5 98943 100.0% 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% | 1 | 95810 | 61.3% |
| 4 81479 88.7% 5 98943 100.0% 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 | 2 | 97799 | 100.0% |
| 5 98943 100.0% 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 29 49650 100.0% | 3 | 95811 | 61.3% |
| 6 30140 91.8% 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 4 | 81479 | 88.7% |
| 7 64493 89.4% 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 5 | 98943 | 100.0% |
| 8 98941 100.0% 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 6 | 30140 | 91.8% |
| 9 98942 100.0% 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 7 | 64493 | 89.4% |
| 10 64494 88.5% 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 8 | 98941 | 100.0% |
| 11 64483 86.6% 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 9 | 98942 | 100.0% |
| 12 64484 84.9% 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 10 | 64494 | 88.5% |
| 13 0345U 89.5% 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 11 | 64483 | 86.6% |
| 14 58558 99.1% 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 12 | 64484 | 84.9% |
| 15 58571 77.0% 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 13 | 0345U | 89.5% |
| 16 81420 85.2% 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 14 | 58558 | 99.1% |
| 17 36475 82.9% 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 15 | 58571 | 77.0% |
| 18 69436 99.0% 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 16 | 81420 | 85.2% |
| 19 30520 91.2% 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 17 | 36475 | 82.9% |
| 20 52356 100.0% 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 18 | 69436 | 99.0% |
| 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 19 | 30520 | 91.2% |
| 21 52000 86.1% 22 36471 88.3% 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 20 | 52356 | 100.0% |
| 23 52332 100.0% 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 21 | 52000 | |
| 24 64635 100.0% 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 22 | 36471 | 88.3% |
| 25 62321 94.9% 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 23 | 52332 | 100.0% |
| 26 64636 100.0% 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 24 | 64635 | 100.0% |
| 27 31267 51.6% 28 27096 87.6% 29 49650 100.0% | 25 | 62321 | 94.9% |
| 28 27096 87.6% 29 49650 100.0% | 26 | 64636 | 100.0% |
| 28 27096 87.6% 29 49650 100.0% | 27 | 31267 | 51.6% |
| 29 49650 100.0% | 28 | | |
| 30 64721 99.0% | 29 | | 100.0% |
| | 30 | 64721 | 99.0% |