

UnitedHealthcare Pharmacy Clinical Pharmacy Programs

Program Number	2024 P 3154-4
Program	Step Therapy
Medications	Descovy® (emtricitabine/tenofovir alafenamide) - Colorado
P&T Approval Date	4/2021, 3/2022, 5/2022, 6/2024
Effective Date	9/1/2024

1. Background:

Step therapy programs are utilized to encourage use of lower cost alternatives for certain therapeutic classes. This program requires a member to try Truvada[®] (emtricitabine/tenofovir disoproxil fumarate) before providing coverage for Descovy[®] (emtricitabine/tenofovir alafenamide) when prescribed for HIV pre-exposure prophylaxis (PrEP).

Descovy is indicated in combination with other antiretroviral agents for the treatment of HIV-1 infection in adults and pediatric patients weighing at least 35 kg or in combination with other antiretroviral agents other than protease inhibitors that require a CYP3A inhibitor for the treatment of HIV-1 infection in pediatric patients weighing at least 14 kg and less than 35 kg. Descovy is also indicated in at-risk adults and adolescents weighing at least 35 kg for pre-exposure prophylaxis (PrEP) to reduce the risk of HIV-1 infection from sexual acquisition, excluding individuals at risk from receptive vaginal sex. Individuals must have a negative HIV-1 test immediately prior to initiating Descovy for HIV-1 PrEP. The indication does not include use of Descovy in individuals at risk of HIV-1 from receptive vaginal sex because effectiveness in this population has not been evaluated.¹

Truvada is indicated in combination with other antiretroviral agents for the treatment of HIV-1 infection in adults and pediatric patients weighing at least 17 kg. It is also indicated in atrisk adults and adolescents weighing at least 35 kg for PrEP to reduce the risk of sexually acquired HIV-1 infection.²

The Colorado State Board of Pharmacy Statewide Protocol for HIV PrEP and post-exposure prophylaxis (PEP) prohibits health plans from requiring prior authorization or step therapy when prescribed by a qualified Colorado-licensed pharmacist.

2. Coverage Criteria^a:

A. Treatment of HIV-1 Infection:

- 1. **Descovy** will be approved based on the following criterion:
 - a. For the treatment of HIV-1 infection

Authorization will be issued for 12 months.

B. <u>HIV-1 Pre-exposure Prophylaxis (PrEP):</u>

1. Descovy 200/25 mg will be approved based on <u>one</u> the following criteria:



8	a. B	both of the following:
	i.	Request is for 200/25 mg strength
		-AND-
	ii.	Prescribed by a qualified Colorado-licensed pharmacist
		-OR-
1	b. A	Il of the following:
	i.	Request is for 200/25 mg strength
		-AND-
	ii.	Patient has a history of intolerance or contraindication to Truvada or generic emtricitabine/tenofovir disoproxil fumarate
		-AND-
	iii	. Using as effective antiretroviral therapy for HIV-1 pre-exposure prophylaxis (PrEP)
1	Auth	orization will be issued for zero copay with deductible bypass for 12 months.
C. <u>Other Indications</u>		
1.]	Desco	ovy will be approved
Authorization will be issued for 12 months.		
plan c	overa	ates may apply. Any federal regulatory requirements and the member specific benefit age may also impact coverage criteria. Other policies and utilization management nay apply.
3.	 N at 	tional Clinical Rules: fotwithstanding Coverage Criteria, UnitedHealthcare may approve initial and re- uthorization based solely on previous claim/medication history, diagnosis codes (ICD-10) nd/or claim logic. Use of automated approval and re-approval processes varies by program

- and/or therapeutic class.
- Supply limits and/or Notification may be in place. ٠

4. **References:**

- 1. Descovy [package insert]. Foster City, CA: Gilead Sciences, Inc.; January 2022.
- 2. Truvada [package insert]. Foster City, CA: Gilead Sciences, Inc.; October 2023.



Program	Step Therapy – Colorado - Descovy (emtricitabine/tenofovir	
	alafenamide)	
Change Control		
4/2021	New program	
3/2022	Changed background to include pediatric patients weighing at least 14	
	kg. Updated criteria to specify only the 200/25 mg strength is approved	
	for PrEP. Changed authorization duration from 24 months to 12	
	months. Updated references.	
5/2022	Formatting changes to clarify PrEP approval.	
6/2024	Annual review. Updated background per Truvada package insert.	
	Updated wording for HIV-1 infection and HIV-1 PrEP without change	
	to clinical intent. Updated references.	